



US006721718B2

(12) **United States Patent**
Ulyanov

(10) **Patent No.:** **US 6,721,718 B2**
(45) **Date of Patent:** **Apr. 13, 2004**

(54) **SYSTEM FOR INTELLIGENT CONTROL
BASED ON SOFT COMPUTING**

5,943,660 A 8/1999 Yesildirek et al. 706/10
5,971,579 A 10/1999 Kim

(75) Inventor: **Sergei V. Ulyanov, Crema (IT)**
(73) Assignee: **Yamaha Hatsudoki Kabushiki Kaisha,
Shizuoka (JP)**
(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

Bose Bimal K., (1994). "Expert System, Fuzzy Logic, and
Neural Network Applications in Power Electric and Motion
Control", Processing of the IEEE, vol. 82, No. 8, pp.
1303-1323.
Chen, Jen-Yang, "An Integration Design Approach in PID
Controller," IEEE, 1999, pp. 901-907.
Dote, Y., "Real Time Nonlinear Learning Control for robotic
Manipulator Using Novel Fuzzy Neural Network," IEEE
International Conference on System, Man, and Cybernetics,
Oct. 1998.
Tanaka, et al., "A Mobile Robot Service Use: Behavior
Simulation. System and Intelligent Control," IEEE Proceed-
ings of the International Conference on Intelligent Robots
and Systems, Sep. 1997.
Tsai, Chin-Yin, et al., "Design of Lyapunov Function Based
Fuzzy Logic Controller," IEEE, 1996, pp. 396-401.

(21) Appl. No.: **10/190,322**

(22) Filed: **Jul. 2, 2002**

(65) **Prior Publication Data**

US 2003/0093392 A1 May 15, 2003

Related U.S. Application Data

(63) Continuation of application No. 09/177,466, filed on Oct.
22, 1998, now Pat. No. 6,415,272.

(51) **Int. Cl.**⁷ **G06F 15/18**

(52) **U.S. Cl.** **706/2**

(58) **Field of Search** 706/2, 10, 13,
706/903

* cited by examiner

Primary Examiner—George B. Davis

(74) *Attorney, Agent, or Firm*—Knobbe, Martens, Olson &
Bear LLP

(57) **ABSTRACT**

A reduced control system suitable for control of a nonlinear
or unstable plant is described. The reduced control system is
configured to use a reduced sensor set for controlling the
plant without significant loss of control quality (accuracy) as
compared to an optimal control system with an optimum
sensor set. The control system calculates the information
content provided by the reduced sensor set as compared to
the information content provided by the optimum set. The
control system also calculates the difference between the
entropy production rate of the plant and the entropy pro-
duction rate of the controller. A genetic optimizer is used to
tune a fuzzy neural network in the reduced controller. A
fitness function for the genetic optimizer provides optimum
control accuracy in the reduced control system by minimiz-
ing the difference in entropy production while maximizing
the sensor information content.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,111,531 A * 5/1992 Grayson et al. 706/23
- 5,142,877 A 9/1992 Shimizu 62/129
- 5,159,660 A 10/1992 Lu et al. 706/23
- 5,204,718 A 4/1993 Morita 399/74
- 5,214,576 A * 5/1993 Tani et al. 700/42
- 5,268,835 A 12/1993 Miyagaki et al. 700/31
- 5,285,377 A 2/1994 Sugasaki et al. 700/47
- 5,305,230 A * 4/1994 Matsumoto et al. 700/287
- 5,324,069 A 6/1994 Ogawa 701/37
- 5,367,612 A * 11/1994 Bozich et al. 706/903
- 5,372,015 A 12/1994 Suzuki et al. 62/228.4
- 5,434,951 A 7/1995 Kuwata 706/28
- 5,471,381 A 11/1995 Khan 700/48
- 5,740,324 A * 4/1998 Mathur et al. 706/16
- 5,815,198 A 9/1998 Vachtsevanos et al. 348/88
- 5,877,954 A 3/1999 Klimauskas et al. 700/29

15 Claims, 10 Drawing Sheets

